




Lamar parts manufacturing company



60,000 mm x 110,000 mm x 22,000 mm NTN
6212ZZNR deep groove ball bearings

Bearing No. 6212ZZNR

6212ZZNR Bearing 2D drawings and 3D CAD models

Size	60x110x22 mm
Bore Diameter	60,000 mm
Outer Diameter	110,000 mm
Width	22,000 mm
d	60,000 mm
D	110,000 mm
B	22,000 mm
C	22,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.793
EAN	4547359568608
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	60MM Bore; 110MM



Lamar parts manufacturing company

	Outside Diameter; 22MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; St
Other Features	Deep Groove With Snap Ring
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6212ZZNR
Weight / LBS	1.73062
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	4.331 Inch 110 Millimeter
Outer Race Width	0.866 Inch 22 Millimeter
Bore	2.362 Inch 60 Millimeter
bore diameter:	60 mm
static load capacity:	36000 N
outside diameter:	110 mm
precision rating:	ISO Class 0
overall width:	22 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Shielded
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	22 mm



Lamar parts manufacturing company

snap ring included:	With Snap Ring
outer ring width:	22 mm
internal clearance:	CN
maximum rpm (grease):	6000 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	1.5 mm
dynamic load capacity:	52500 N
manufacturer product page:	Click here